Material Safety Data Sheet according to 1907/2006/EG, Artikel 31 $_{100100}$

1	Identification of the substance/preparation and of the company/undertaking Trade name: Nähmaschinenöl / Oil for Sewing Machines Ia		
	Article numbers:	100100 - 100125	
	Application of the substance / the preparation:	Lubricating oil	
	Manufacturer/Supplier:	Gessert & Sohn Siemensstr. 17 40721 Hilden - Germany Telefon: +49 2103 / 51681 Telefax: +49 2103 / 51682 eMail: info@hanseline.de	
	Further Information obtainable from:	general management	
*2	Hazards identification Information concerning particular hazards for human and environment:	Product must not reach environment without control.	
	Classification system:	The classification is according to the latest editions of the EU- lists, and extended by company and literature data.	
*3	Composition/information on ingredients Description: mineral oil, highly refined		
	Dangerous components:	Product is not classified as hazardous substance in the sense of the Hazardous Substances Act/ EC Regulations.	
4	First-aid measures General Information:	No particular health risks in case of appropriate handling.	
	After Inhalation:	Supply fresh air; consult doctor in case of complaints.	
	After skin contact:	Wash with water and soap.	
	After eye contact:	Rinse opened eye for several minutes under running water.	
	After swallowing:	Do not induce vomiting. Summon a doctor immediately. Rinse out mouth thoroughly with water.	
5	Fire-fighting measures Suitable extinguishing agents:	C02, sand, extinguishing powder. Do not use water.	
	For safety reasons unsuitable extinguishing agent	s: full water jet	
	Special hazards caused by the substance, its products of combustion or resulting gases:	Nitrogen Oxids (NOx), Carbon monoxide (CO), Sulphur Dioxide (SO2)	
	Protective equipment:	Mount respiratory protective device.	

Material Safety Data Sheet according to 1907/2006/EG, Artikel 31

100100
Page 2 of 4

Manufacturer/ Supplier: G 40		Page 2 of Nähmaschinenöl / Oil for Sewing Machines Ia Gessert & Sohn 40721 Hilden - Germany, Siemensstr. 17 Telefon : +49 2103-51681; Telefax : +49 2103-51682		
6	Accidental re Person-related safe	lease measures ety precautions:	Ensure adequ	ate ventilation. Avoid skin contact.
	Measures for envir	conmental protection:		to enter sewers/ surface or ground water. to penetrate the ground/ soil.
	Measures for clean	ing/collecting:		iquid-binding material. Dispose of the material ording to regulations.
7	Handling and Information for saf		No special me	easures required.
	Information about	fire- and explosion protection:	No special me	easures required.
	Requirements to be met by storerooms and recept		acles:	No special requirements.
	Information about	storage in one common storage	facility:	No special requirements.
	Further informatio	n about storage conditions:	none	
8	Exposure con Additional informa	trols/personal protect		d during the making were used as basis.
	Ingredients with lin monitoring at the v	nit values that require vorkplace:		loes not contain any relevant quantities of a critical values that have to be monitored at the

monitoring at the workplace.	workplace.
General protective and hygienic measures	Avoid dose or long term contact with the skin.
Respiratory protection :	Not required.
Protection of hands:	Oil resistant gloves Material of gloves: The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material: The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
Eye protection:	Safety goggles.
Body protection:	Protective work clothing.

Trade name:	Nähmaschinenöl / Oil for Sewing Machines Ia	
Manufacturer/ Supplier:	Gessert & Sohn	
	40721 Hilden - Germany, Siemensstr. 17	
Telefon/Telefax:	Telefon : +49 2103-51681; Telefax : +49 2103-51682	

Physical and chemical pr General Information	operties	
Form:	fluid	
Colour:	bright-yellow	
Odour:	characteristic	
Change in condition		
Pour point:	< -12° C	DIN/ISO 3016
flash point:	ca. 200° C	DIN/ISO 2592
Density (at 15° C):	0,85 g/cm3	DIN 51757
Viscosity (kinematic at 40° C):	$> 20.5 \text{ mm}^2/\text{s}$	DIN 51562

10 Stability and reactivity

9

Thermal decomposition / conditions to be avoided: This substance is combustible. Stable when used according to rules.

Hazardous decomposition products:

Incomplete combustion/ thermic decomposition lead to formation of smoke, carbon dioxide, and dangerous gases such as carbon monoxide.

11 Toxicological information

Acute toxicity/ Irritability/ Sensitization: LD 50 acute oral:	> 2400 mg/kg rat
Irritant effect on skin and eye:	No irritating effect.
Sensitization:	No sensitizing effects known.
Experiences made from practice:	Inhalation of thermic decomposition products such as vapour, mist or smoke can affect health. Frequent or prolonged skin contact can lead to degreasing of the skin and dermatitis.
Additional Information:	In case of appropriate handling and consideration of the usual precautions for the use of mineral oils no particular dangers are known for this product. The product has not been tested. The information is derived from products of similar composition.

12 Ecological Information General notes

Biological degradability:	potential biodegradable
Mobility and bioaccumulative potential:	Float on the water. Available in liquid form.
General regulation:	Do not discharge product unmonitored into the environment.

Material Safety Data Sheet according to 1907/2006/EG, Artikel 31

100100 Page 4 of 4

Trade name:	Nähmaschinenöl / Oil for Sewing Machines Ia	
Manufacturer/ Supplier:	: Gessert & Sohn	
	40721 Hilden - Germany, Siemensstr. 17	
Telefon/Telefax:	Telefon : +49 2103-51681; Telefax : +49 2103-51682	

13 Disposal considerations

European waste catalogue:

Product recommendation:

Uncleaned packaging::

13 02 05 mineral-based non-chlorinated engine, gear and lubricating oils

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

EWC-Code 15 01 99 D1 Packaging with product residue

14 Transport information

Land and inland navigation transport ADR/GGV	VS/RID/GGVE: no hazardous material as defined by the prescriptions.
Marine transport IMDG/GGV See:	no hazardous material as defined by the prescriptions.
Air transport ICAO/IATA:	no hazardous material as defined by the prescriptions.

15 Regulatory Information

Labelling according to FU guidelines:

Observe the general safety regulations when handling chemicals. The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (German GefStoffV).

National regulations Decree for case of interference/ remarks:	Accident decree, addendum II: not named.
Classification according to VbF/ remarks:	not applicable
German TA Luft remarks:	organic substances class III
Water hazard class:	1 (German Regulation) KBwS-classification

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legality valid contractual relationship.

Sources of key data used: DGM-K Bericht 400-1, 400-2, 400-7 Concawe Report "Health aspects of lubricants" 1/1983